

SOLINA-PRO OPEN STYLE FOLDING ARM AWNING



**PREMIUM GERMAN
TECHNOLOGY**



COVERED | SOLINA-PRO OPEN STYLE FOLDING ARM AWNING

The Covered SOLINA-PRO Open Style Folding Arm Awning System is a practical solution for providing continuous shade and protection from the sun's harmful rays.

German Engineering guarantees unparalleled technical strength in combination with a compact and stylish design.

The unique design allows for up to 7000mm (7m) coverage in width and 4000mm (4m) in projection making the Covered SOLINA-PRO ideal for covering larger areas.

Utilising a heavy-duty torsion bar makes mounting these awning systems to a variety of different fixing options a breeze.

All components are constructed of Marine Grade Stainless Steel and our optional hood profile is extruded from 6061 Structural Grade Aluminium.

“ Modern Design, Easy Handling. The open awning SOLINA-PRO convinces with its attractive appearance, stability and easy handling ”



SOLIDUX SOLINA-PRO



SOLIDUX SOLINA-PRO



SOLIDUX SOLINA-PRO



SOLIDUX SOLINA-PRO



OPEN STYLE AWNING

SQUARE BAR AT REAR MAKES INSTALLATION A BREEZE

SUPERIOR ARM TECHNOLOGY

FLUSH MOUNTING POSSIBLE

OPTIONAL RAIN HOOD AVAILABLE



We guarantee our customers **5 YEARS** of perfect SOLIDUX quality on all architectural arm awnings, How can we do this? The mounting brackets made of extruded aluminium and all awning hardware are made of weather-resistant components.

OUR ICONS



ISO 9001:2008



QUALITY APPROVED



VOICE CONTROL



CUSTOM APP



HOME AUTOMATION



SUN/UV PROTECTION



WIND RATING (upto 50kms)



HUGE COLOUR RANGE



EXTENSIVE FABRICS







LED LIGHTS



SOLIDUX®

PREMIUM GERMAN TECHNOLOGY



PLEASE NOTE: All illustrations are not to scale. All measurements are in millimetres. Ask your Covered representative for additional information if required.

AVAILABLE SIZES

WIDTH Max. 7000mm (7m) / Min. 1940mm (1.94m)
 PROJECTION Max. 4000mm (4m) / Min. 1500mm (1.5m)

HEADBOX

MATERIAL Powder Coated 6061 Grade Extruded Aluminium
 DIMENSIONS Height: 212mm top/bottom, Depth: 202mm front/back
 FINISH Standard finishes are WHITE, ANTHRACITE & SILVER or for custom select from Dulux Powder Coat Range.

TOP ROLLER

MATERIAL 78mm Diameter Heavy-Duty Galvanised Steel Tube

ARM ASSEMBLY

MATERIAL 6061 Grade Extruded Aluminium

END CAPS

MATERIAL Powder coated cast aluminium providing a minimal profile appearance

FIXING METHODS

TYPE FACE FIX, TOP FIX, FASCIA FIX, ROOF FIX and RAFTER FIX options available

CONTROL OPTIONS


CRANK OPERATION Easy to use for dimensions up to 6000mm (6m) width and 3500mm (3.5m) projection with integrated gear-drive technology (GFT).
 MOTORISED Tubular motor mounted internally in top roller.
 Available: SIMU, SOMFY, ACMEDA or ALPHA.

FABRIC OPTIONS

RECOMMENDED 100% Solution Dyed Acrylics.
 Covered offers all the leading brands, colours and fabric trends.

SOLINA-PRO MOTORISED BRANDS





SOLINA-PRO STANDARD FRAME COLOURS



WHITE



ANTHRACITE



SILVER

CUSTOM POWER COAT COLOURS AVAILABLE ON REQUEST

YOUR NEAREST COVERED RETAILER



SOLIDUX®