

vistaweave

vistaweave**Plus**

vistaweave**99**

vistaweave**Stripe**



vistaweave

vistaweave**Plus**

vistaweave**99**

vistaweave**Stripe**

Keeps out the
sun, lets in
the view.



Vistaweave is Greenguard Certified to contribute to the health of the environment.

The Vistaweave range is a unique selection of see-through awning fabrics that provide a choice of larger widths, and a wide range of designer colours and patterns.



vistaweavePlus

A positive point-of-view

This fabric is a 2x2 weave, wider width version of Vistaweave. Its even construction in warp and weft is ideal for railroading with even tension both ways. Ideal for external awnings, automatic sun blinds, folding arm awnings and external track systems. Vistaweave Plus is also suitable for internal blinds.

Features

- 5 year limited warranty against UV degradation
- Breathability
- Even see through
- Reduces glare
- Water resistant
- Salt water resistant
- Greenguard Certified
- Phthalate free
- No Chromium, Cadmium or Lead
- Fire resistant


Technical Data

PVC coated polyester mesh (37 x 35, 2 x 2 weaved) with UV, FR and Fungus resistant PVC formulation for outdoor applications.

Base Cloth	PVC Coated Polyester		
Weight	530 ± 30gsm		
Roll Specifications	Roll Width: 270cm	Roll Length: 25m	
	Roll Width: 320cm	Roll Length: 20m	
Openness Factor	5%		
Shading Coefficient	95%		
Composition	PVC 70% Polyester 30%		
Construction	37 x 35 weave (2x2)		
Tensile Strength	Warp: 2441N	Weft: 2558N	AS 2001.2.3.2
Tear	Warp: 260N	Weft: 247N	AS 3706.3
Flex Cracking	400,000 min cycles		AS1441.6
FR Rating	Complies with BCA requirements		AS1530.3
Colour fastness to light	3 cycle rating	Atlas SAE J1960 3 cycle test	Grey scale rating min. 3
Certification	ISO 9001 Quality Control ISO 14001 Environmental Management System Ecospecifier Green Guard Oeko-tex		



Gravel




Pepper




Cappuccino




Night Sky



Congo



Steel Blue



Pewter




Oyster




Federation Green



Copper




Ash Grey



Green Tea



Grecian Gold



Porcelain



Flint



Taupe



Chinaberry



Graphite

vistaweaveStripe




There is only one
Vistaweave.

It is the original 2x1 weave mesh fabric, tried and tested and delivering stylish shade solutions for over 30 years. Its 270cm width and range of designer stripes make it ideal for window openings on any residential or commercial installation.

Features

- Time tested - quality proven for over 30 years
- Breathability
- Reduces glare
- Salt water resistant
- Greenguard Certified
- Phthalate free
- No Chromium, Cadmium or Lead
- 5 year limited warranty against UV degradation
- Fire resistant



T044



T232



T294



T113



T115



T893

Technical Data

Base Cloth	PVC Coated Polyester		
Weight	500 gsm		
Width	270cm		
Roll Length	25m		
Openness Factor	10%		
Shading Coefficient	90%*		
Construction	Warp: 36 ± 0.5 ends	Warp: 15 ± 0.5 ends	Standard: ASTM D3775
Tensile Strength (grab),lbf	Warp: 561.1	Fill: 215.6	Standard: ASTM D5034
Tensile Strength (strip),lbf	Warp: 317.3	Fill: 138.3	Standard: ASTM D5035
Tear Strength (Trapezoidal) lbf	Warp: 65.5	Fill: 26.3	Standard: ASTM D5587
Elongation	Warp: 29.1%	Fill: 24.7	Standard: ASTM D5035
Abrasion Resistance (CS10/500 cycles/with no added weight)	No exposure of core yarn		Standard: ASTM D3884
FR Rating	Complies with BCA requirements		AS1530.3
Weatherability, 1200 hours	Trace discoloration		Standard: G53-96
Mildew Resistance	No growth		Standard: G21-96

The above results are representative of real data from single sample. Presently no specification is incorporated. * Approximate value



The Privacy Factor

Vistaweave 99 is a 2x2 weave, heavy duty mesh with 1% openness, ideal for where a higher privacy factor is required. Suitable for external awnings, automatic sun blinds, folding arm awnings and external track systems. With its high density weave and superior strength, Vistaweave 99 awning mesh is perfect for Australia's harsh outdoor conditions.

Features

- 5 year limited warranty against UV degradation
- Breathability
- Even see through
- Increase privacy
- Water resistant
- Salt water resistant
- Greenguard Certified
- Phthalate free
- No Chromium, Cadmium or Lead
- Fire resistant



Classic Cream



Paperbark



Gunmetal



Charcoal



Ebony

Technical Data

PVC coated polyester mesh (36 x 24, 2 x 2 weaved) with UV, FR and Fungus resistant PVC formulation for outdoor applications.

Base Cloth	PVC Coated Polyester		
Weight	710 gsm		
Width	300cm		
Roll Length	30m		
Openness Factor	1%		
Shading Coefficient	99%		
Composition	PVC 70% Polyester 30%		
Construction	36 x 24 weave (2x2)		
Tensile Strength	Warp: 3599N	Weft: 2928N	AS 2001.2.3.2
Tear	Warp: 661N	Weft: 470N	AS 3706.3
Flex Cracking	400,000 min cycles		AS1441.6
FR Rating	Complies with BCA requirements		AS1530.3
Colour fastness to light	3 cycle rating	Atlas SAE J1960 3 cycle test	Grey scale rating min. 3
Certification	ISO 9001 Quality Control ISO 14001 Environmental Management System Ecospecifier Green Guard Oeko-tex		

vistaweave

vistaweave**Plus**

vistaweave**99**

vistaweave**Stripe**

Keeps out the
sun, lets in
the view.

Vistaweave is Greenguard
Certified to contribute to the
health of the environment.

The Vistaweave range is a
unique selection of see-through
awning fabrics that provide a
choice of larger widths, and a
wide range of designer colours
and patterns.



Showroom
215a Nepean Highway Gardenvale (Brighton) Vic 3185
Ph 03 9595 3333 Fax 03 9596 3755
Email info@shadesystems.com.au
Web shadesystems.com.au



The Nolan.Group
Your Textile Partner For Success



National Customer Service
Ph: 1300 78 66 98